
Balfit® Multicrimp Spiral Hose Fittings



Balfit[®] Multicrimp Spiral BSP 45° Swept O'ring Swivel Female P24.3142 / P12.3142 - one piece - non-skive

one-piece carbon steel, BSP (British thread 60° cone with O-ring) 45° swept female fitting for crimping on high pressure hydraulic hoses



According to ISO WD 12151-6.2 and ISO WD 8434-6.2 According to BS 5200

Material: carbon steel, zinc plated

P24 Series for Hoses: Balflex® Balmaster hoses SAE 100R9R / DIN EN 856 4SP

Balflex® Balmaster hose SAE 100R12 (1/2" to 1")

P12 Series for Hoses: Balflex® Balmaster hose SAE 100R12 (1.1/4" to 2")

part number	hose dash	hose Ø	thread	thread dash	C Cut Off	E	Hex.
		inch			mm	mm	mm
P24.3142.0808	- 8	1/2"	1/2" – 14	- 8	67	24	27
P24.3142.1010	- 10	5/8"	5/8" – 14	- 10	68	23	30
P24.3142.1212	- 12	3/4"	3/4" - 14	- 12	86	30	32
P24.3142.1616	- 16	1"	1" – 11	- 16	107	35	41
P24.3142.2020	- 20	1.1/4"	1.1/4" – 11	- 20	129	40	50
P24.3142.2424	- 24	1.1/2"	1.1/2" – 11	- 24	221	47	55
P24.3142.3232	- 32	2"	2" – 11	- 32	196	70	70

part number	hose dash	hose Ø	thread	thread dash	C Cut Off	E	Hex.
		inch			mm	mm	mm
P12.3142.2020	- 20	1.1/4"	1.1/4" – 11	- 20	129	40	50
					-	-	
P12.3142.2424	- 24	1.1/2"	1.1/2" – 11	- 24	221	47	55
P12.3142.3232	- 32	2"	2" – 11	- 32	196	70	70

also available:

Balfit® Stainless Steel Multicrimp Spiral BSP 45° Swept O'ring Female (add an 'S' at the end of the part number; ex:P24.3142.0808 S or P12.3142.0808 S)

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.